

NO. 66525

APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office JUN 29 2000

Returned to applicant for correction _____

Corrected application filed _____

Map filed JUN 29 2000

The applicant **Robert V. Pistone and Norma M. Pistone**, hereby makes application for permission to change the **Point of Diversion and Place of Use of a Portion** of water heretofore appropriated under **Permit 14468, Certificate 6372**

1. The source of water is **Underground Source**
2. The amount of water to be changed **2 acre Feet 0.0028 C.F.S.**
3. The water to be used for **Quasi-Municipal Purposes**
4. The water heretofore permitted for **Quasi-Municipal Purposes**
5. The water is to be diverted at the following point **NW $\frac{1}{4}$ NW $\frac{1}{4}$, Section 32, T19S, R60E, M.D.M. or at a POINT FROM WHICH THE Northwest corner of said Section 32, T19S, R60E, M.D.M., bears North 44° 27' 47" West a distance of 1662.57 Feet.**
6. The existing permitted point of diversion is located within **NW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 10, T21s, R61E M.D.M. or at a point from which the Northwest corner of said Section 10, T21S, R61E, M.D.M. bears North 15° 40' West a distance of 917.0 Feet.**
7. Proposed place of use **Lot One of Parcel Maps File 56, Page 21, Being a portion of the SE $\frac{1}{4}$ SE $\frac{1}{4}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 32, T19S, R60E, M.D.M.**
8. Existing place of use **Portion of the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 9, and a portion of the NW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 10, T21S, R61E, M.D.M.**
9. Use will be from **January 1st to December 31st** of each year.
10. Use was permitted from **January 1st to December 31st** of each year.
11. Description of proposed works **Well and delivery system are complete.**
12. Estimated cost of works **None**
13. Estimated time required to construct works **Well is existing and steel cased, with submersible pump, storage tank, pressure tanks, booster pump, totalizing meter and apprutenances.**
14. Estimated time required to complete the application of water to beneficial use
15. Remarks: **Water to be used to supplement the water permitted under permit 51403 for Lot one only, for future residence and landscaping.**

By **s/Robert V. Pistone**
Agent Fulstone Enterprises Inc.
940 S. Martin L. King Blvd.
Las Vegas, NV. 89106

Compared dl/ cmf cmf/ds

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 14468, Certificate 6372, is issued subject to the terms and conditions imposed in said Permit 14468, Certificate 6372, and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 51403, 61596, and 66525 shall not exceed 6.36 acre-feet annually.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0028 cubic feet per second, but not to exceed 2.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed before:

N/A

Water must be placed to beneficial use on or before:

March 2, 2003

Proof of the application of water to beneficial use shall be filed on or before:

April 2, 2003

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 2nd day of, March A.D. 2001


State Engineer

Completion of work filed under 51403 on February 26, 1991

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____